



NOTE: Maximum payload and towing capabilities shown throughout this brochure are for properly equipped base vehicles with required equipment and a 68kg driver and vary based on cargo, vehicle configuration, accessories and number of passengers. See Payload and Towing charts in the Specifications section for maximum ratings by configuration. See label on door jamb for carrying capacity of a specific vehicle. Horsepower, torque, payload and towing are independent attributes and may not be achieved simultaneously. For additional information, see your Ford Distributor. Vehicles throughout this brochure may be shown with optional and aftermarket upfit equipment.

F-350 XL Regular Cab in Oxford White (Max. Payload 2 195kg, Max. Gooseneck Towing 13 97lkg, and Max. GCWR 19 73lkg, when properly equipped with required equipment.) 'Class is Full-Size Pickups over 3 856kg GVWR, based on Ford segmentation.' Max. horsepower and torque based on 3rd-generation 6.7L Power Stroke" V8 Turbo Diesel. 'Max. gooseneck tow rating of 16 783kg available on F-450 Regular Cab 4x2 diesel (not shown). 'Max. conventional tow rating of 10 977kg available on F-450 Crew Cab diesel. 'Max. Payload of 3 56lkg on F-350 DRW Regular Cab Long Box 4x2 with 6.2L engine and F-350 Gas Heavy-Duty Payload Package (not shown). 'Max. GCWR of 20 548kg on F-450 Regular Cab (not shown).

MAX. HORSEPOWER 9

3RD-GENERATION 6.7L POWER STROKE V8 TURBO DIESEL

Our proven Power Stroke diesel gets significant 330 upgrades that push its horsepower and torque output into the stratosphere. Excellent throttle response is delivered in part by a 36 000-psi fuel-injection system with new injectors that better atomize fuel for optimized combustion. In this high-pressure environment, new forged-steel pistons provide higher firing pressure capability and less friction for improved durability. A new turbocharger with fully electronic vane actuator improves cold-weather performance. Finally, a new air-induction system and redesigned grille ensure plenty of airflow to help keep things cool. Which the 6.7L Power Stroke V8 Turbo Diesel has done for years – stay cool under pressure. Standard on F-450

6.2L 2-VALVE V8 GAS

Available on F-250, F-350

Dual-equal variable cam timing phases the intake- and exhaust-valve opening and closing events simultaneously to optimize low-end torque and peak horsepower. By supplying working power throughout the rpm range, the 6.2L V8 delivers an exceptional combination of driveability, hauling and towing performance. Standard on F-250, F-350

CLASS-BEST¹ AVAILABLE

1424Nm 475HP

TORQUE²

A CNG/Propane Gaseous Engine Prep Package readies the 6.2L V8 to be upfit for compressed

Optimized for power this new grille or is part of an extremely headlar. front-end design that includes new grill headlamps and other improvements. Standard on XLT DRW models equipped Included on XL DRW models equipped with the available diesel engine and STX Package.

Optimized for powertrain cooling, this new grille on DRW diesel mode

is part of an enhanced SUPER DUTY®

POWER SURGE.

Among heavy-duty trucks, torque is king. It's no surprise, then, that SUPER DUTY® continues to boast more available torque than anyone in the kingdom. A 3rd-generation 6.7L Power Stroke V8 Turbo Diesel leads its category in torque and horsepower. It joins the 6.2L V8 gas engine, standard on F-250 and F-350, to form the strongest, most capable SUPER DUTY® engine lineup yet. Both engines, along with an all-new, available TorqShift® 10-speed automatic transmission and rugged TorqShift-G 6-speed automatic, are designed, engineered and built by Ford. So rest assured that each Built Ford Tough® powertrain works seamlessly with all chassis components and vehicle calibrations, helping you continue your job of building a better world.

F-450 XL Regular Cab 4x2 in Oxford White with 5th-Wheel/Gooseneck Trailer Tow Prep Package, and available equipment

1class is Full-Size Pickups over 3 856kg GVWR, based on Ford segmentation. 2Max. horsepower and torque based on 3rd-generation 6.7L Power Stroke® V8 Turbo Diesel

POWER²

CNG/PROPANE CAPABILITY

natural gas (CNG) or propane autogas.



F-350 DRW XL REGULAR CAB 4x2. Oxford White. Available STX®. Available equipment

Stationary-mode PTO max. torque ratings: 407Nm on diesel, 339Nm on gas. Mobile-mode PTO max. torque ratings: 271Nm on diesel, 169Nm on 7.3L gas, 156Nm on 6.2L gas.

|4

ELECTRONICALLY CONTROLLED HYDRAULIC STEERING

This electronically controlled power steering setup reduces the amount of effort required to steer and control your truck, depending on speed and other inputs. As a result, **SUPER DUTY®** feels easier to control, it helps provide better confidence at higher speeds or on surfaces such as crowned roads or areas with constant crosswinds. The system also enables the inclusion of class-exclusive Pro Trailer Backup Assist (described below).



NEW PRO TRAILER BACKUP ASSIST™ (PTBA) WITH TRAILER REVERSE GUIDANCE Even pros can get better. Available PTBA1 on the **SUPER DUTY**® works in tandem with Trailer Reverse Guidance¹ to help you back up ALL trailers – including 5th-wheel and gooseneck. Backing up these behemoths is now as easy as turning a knob, once the system is programmed.² When you're ready to start, take your hands off the steering wheel and simply rotate the Trailer Backup knob left or right depending on the direction you want the trailer to go. This class-exclusive system is available on every model. Back up your trailer like never before.



ADD "EYES" TO THE BACK OF YOUR TRAILER From the driver's seat, it's a long way back here. To find out what's behind all that trailer, just attach our available, weatherproof, customer-placed trailer camera¹ to the rear of your rig to see what's in your path as you slowly back up.





Front split-view



Rear normal + 360

360-DEGREE CAMERA VIEWS

The front, rear and sideview mirror cameras of this system allow you to toggle through the following views: front and rear normal, front and rear split-view, and front and rear normal + 360.



REAR CHMSL CAMERA VIEW

With zoom feature, this view is particularly helpful when connecting a 5th-wheel or gooseneck trailer.



TRAILER REVERSE GUIDANCE VIEW

Automatically switches between side and rear camera views to show you what's most relevant while backing up any trailer – including 5th-wheel and gooseneck – and provides overlays to automatically switches between side and and rear camera views to show you what's most relevant while backing up any trailer - including 5th-wheel and gooseneck - and provide overlays to help guide you.

F-350 LIMITED Crew Cab 4x4 in Agate Black with FX4 Off-Road Package and available equipment. 'Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. 'Please consult your owner's manual or Pro Trailer Backup Assist Measurement Card for information on setting up your trailer.

|6 7

READY WITH AN ASSIST.

From the work site to the highway, our standard and available driver-assist features¹ are designed to help you feel confidently in command at the wheel of your **SUPER DUTY**[®].



PRE-COLLISION ASSIST WITH AUTOMATIC EMERGENCY BRAKING

We should all drive defensively. By scanning the road ahead, this feature can alert you to potential collisions with vehicles or pedestrians detected in your path. If an impact is imminent and you don't take action, brakes can apply automatically.² It's designed to only activate when needed.

Standard on XLT. Available on XL.



BLIS® WITH TRAILER COVERAGE AND CROSS-TRAFFIC ALERT

Changing lanes demands your full attention. BLIS® (Blind Spot Information System)¹ can help by not only alerting you to vehicles detected in your blind spots, but also alerting you when vehicles are detected alongside your trailer. Cross-traffic Alert helps by detecting and alerting you to traffic behind your truck as you're slowly backing up.

Standard on XLT. Available on XL.



LANE-KEEPING ALERT

It happens. Listening to your favorite artist, you wander too close to your lane's edge. Lane-keeping Alert can detect lane markings and send vibration pulses to the steering wheel if it senses the **SUPER DUTY**® drifting unintentionally out of its lane.³ Packaged Option.



AUTO HIGH-BEAM HEADLAMPS

Sound familiar? You turn on high beams entering a dark stretch of road – then forget to turn them off as traffic approaches. Auto High-beam Headlamps can detect poor lighting and switch them on for you. They can also sense oncoming headlamps and dim automatically for other drivers. Standard on XLT.



REAR-VIEW CAMERA

Backing up requires a little multitasking. Our Rear-view Camera helps by providing a great view of what's behind your truck, helping you navigate reverse with more confidence. It also helps when you're lining up a trailer.

Standard on ALL TRIMS.



HILL START ASSIST

It feels good to hold your ground. Especially on a grade. As you remove your foot from the brake pedal to accelerate from a stop, Hill Start Assist can help by preventing **SUPER DUTY**® from rolling downhill.

Standard on ALL TRIMS



TRAILER SWAY CONTROL

This helpful technology monitors the motions of **SUPER DUTY**® when towing to detect trailer sway. If it's detected, the system selectively applies brakes as needed to help you maintain control of the truck as well as the trailer.⁴ Standard on ALL TRIMS



F-350 XLT Crew Cab 4x4, available equipment. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. Pre-collision Assist with Automatic Emergency Braking can detect pedestrians, but not in all conditions and does not replace safe driving. See owner's manual for system limitations. Lane-keeping Alert does not control steering. Remember that even advanced technology cannot overcome the laws of physics. It's always possible to lose control of a vehicle due to inappropriate driver input for the conditions. Crew Cab only.

ROCK SOLID. ALWAYS READY FOR DUTY.

OVER
32
MILLION
KILOMETERS

HIGH STRENGTH - DOESN'T RUST

ENGINEERED FOR EXTREMES

Driveshafts, transfer cases and U-joints are engineered to handle the monstrous torque output of **SUPER DUTY**[®]. In the

4WD transfer case, an electro-magnetic clutch provides smooth and immediate shift-on-the-fly capability in

conditions where additional traction is needed.

THE DNA OF BFT Built Ford Tough® is more than just a brutal testing regimen. It's a battle cry. One filled with honor, courage and determination to never rest – until the job's done right. With over 32 million cumulative kilometers of customer-equivalent testing now logged, the prior generation and new **SUPER DUTY®** earned their Blue Ovals. With more trucks on the road with over 400 000 kilometers than any other brand, there's nothing tougher than Ford F-Series.¹

The **SUPER DUTY**® body and cargo box are made from high strength, military-grade, aluminum alloy² that's hardened through heat treating to produce great strength. Plus, the body and cargo box resist corrosion and don't rust. That's leadership that counts. For years down the road.

Integrated into the frame and using so much high strength steel that weight-equalizing bars aren't needed – saves time and effort when hooking up a trailer. On many configurations, hitches are weight-carrying up to the max. tow ratings.

STRONG AND CAPABLE AXLES

2.5" AND 3" TRAILER HITCHES

Ratios range from 3.31 to 4.30. Available choices include non-limited-slip, limited-slip and electronic locking. Gear and bearing designs are engineered and optimized by weight for the extreme capability of the F-Series **SUPER DUTY**®.

LEVELS OF SUPER DUTY CAPABILITY

There's capability. And then there's **SUPER DUTY**® capability. Within each heavy-duty truck segment – 250/2500 Pickups, 350/3500 Pickups, 450 Pickups – an F-Series **SUPER DUTY**® leads the segment in these critical measures of all-around capability. Our owners expect the best. The new **SUPER DUTY**® delivers.


	F-250	F-350	F-450
SEGMENT	250/2500 Pickups ²	350/3500 Pickups ³	450 Pickups ⁴
Max. Towing ¹	10 342kg – Segment Leader	16 216kg – Segment Leader	16 783kg – Class Best
Max. Conventional Towing ¹	9 072kg – Segment Leader	9 616kg – Segment Leader	10 977kg – Class Best
Max. Payload ¹	1932kg – Segment Leader	3 561kg – Class Best	8 845kg
Engines	6.2L Gas V8, 6.7L Power Stroke® V8 Turbo Diesel	6.2L Gas V8, 6.7L Power Stroke® V8 Turbo Diesel	6.7L Power Stroke® V8 Turbo Diesel
Drivetrains	Diesel Single Rear Wheel (SRW) 4x2 or 4x4	SRW or Dual Rear Wheel (DRW) 4x2 or 4x4	(DRW) 4x2 or 4x4
Cab Types	Regular Cab, SuperCab, Crew Cab	Regular Cab, SuperCab, Crew Cab	Regular Cab, SuperCab, Crew Cab
Box Lengths	6.75' or 8'	6.75' or 8'	8'
Trim Levels	XL & XLT	XL & XLT	XL & XLT

CLASS-BEST - MAX. AVAILABLE

16 783kg 10 977kg 3561kg 20 548kg

TOWINGS CONVENTIONAL TOWINGS PAYLOADS GCWRS

F-250 XL Crew Cab 4x4 in Agate Black; F-350 LARIAT Crew Cab 4x4 in Magnetic; F-450 XLT Crew Cab 4x4 in Oxford White. All shown with available equipment. 'Available rating. When properly equipped. See Payload and Towing charts in the Specifications section for maximum ratings by configuration. '250/2500 pickup segment includes Ford Super Duty F-350, GMC Sierra 2500, Chevrolet Silverado 2500, and Ram 2500. '350/3500 pickup segment includes Ford Super Duty F-450. 'Max. GCWR of 3 56lkg on F-450 Regular Cab (not shown). 'Max. gooseneck tow rating of 10 977kg available on F-450 Crew Cab diese: 'Max. Payload of 3 56lkg on F-350 DRW Regular Cab (not shown). 'Max. conventional tow rating of 10 977kg available on F-450 Crew Cab diese: 'Max. Payload of 3 56lkg on F-350 DRW Regular Cab Long Box 4x2 with 6.2L engine and F-350 Gas Heavy-Duty Payload Package (not shown).




4x2 STANDARD¹ 4x4 AVAILABLE



6.2L 2-VALVE GAS V8 FFV TORQSHIFT-G 6-SPEED AUTOMATIC Standard: F-250

6.2L 2-VALVE GAS V8 FFV TORQSHIFT® 10-SPEED AUTOMATIC Standard: F-350

6.7L POWERSTROKE® V8 TURBO DIESEL TORQSHIFT® 10-SPEED AUTOMATIC Standard: F-450 Available: F-250, F-350



REGULAR CAB | 8' BOX F-250 SRW, F-350 SRW, F-350 DRW, F-450 DRW

SUPERCAB | 6.75' BOX F-250 SRW, F-350 SRW

SUPERCAB | 8' BOX F-250 SRW, F-350 SRW


CREW CAB | 6.75' BOX F-250 SRW, F-350 SRW

CREW CAB | 8' BOX F-250 SRW, F-350 SRW, F-350 DRW, F-450 DRW



40/20/40 SPLIT FRONT SEAT Standard

40/MINI-CONSOLE/40 FRONT BUCKET SEATS Available





THE CORNERSTONE Featuring a black grille and bumpers, plus heavy-duty vinyl seating, XL is a no-nonsense work truck that's the bedrock of the **SUPER DUTY**® lineup. All the capability and standard features to get you comfortably through the work week are here. Plus, it can move huge payloads and tow king-size trailers. The FX4 Off-Road Package adds additional style and functionality.

¹Availability may vary depending on the market and versions.




4x2 STANDARD¹ 4x4 AVAILABLE



6.2L 2-VALVE GAS V8 FFV TORQSHIFT-G 6-SPEED AUTOMATIC Standard: F-250

6.2L 2-VALVE GAS V8 FFV TORQSHIFT® 10-SPEED AUTOMATIC Standard: F-350

6.7L POWERSTROKE® V8 TURBO DIESEL TORQSHIFT® 10-SPEED AUTOMATIC Standard: F-450 Available: F-250, F-350



REGULAR CAB | 8' BOX F-250 SRW, F-350 SRW, F-350 DRW, F-450 DRW

SUPERCAB | 6.75' BOX F-250 SRW, F-350 SRW

SUPERCAB | 8' BOX F-250 SRW, F-350 SRW,


CREW CAB | 6.75' BOX F-250 SRW, F-350 SRW

CREW CAB | 8' BOX F-250 SRW, F-350 SRW, F-350 DRW, F-450 DRW



40/20/40 SPLIT FRONT SEAT Standard

40/MINI-CONSOLE/40 FRONT BUCKET SEATS Available





THE UTILITY PLAYER Does just about everything well. With all the great XL features, plus the right level of XLT refinement from its substantial list of popular standard features: chrome grille and bumpers; cloth seating and carpeted flooring; power windows and locks. An incredibly versatile member of the **SUPER DUTY**® lineup.

¹Availability may vary depending on the market and versions.

	XL	XLT
STANDARD FEATURES:		
MECHANICAL		
2.5" trailer hitch receiver (SRW)	Std	Std
3.0" trailer hitch receiver with 2.5"–3.0" sleeve reducer (F-350 SRW Crew Cab 176" WB with diesel engine; DRW)	Std	Std
5th-Wheel/Gooseneck Trailer Tow Prep Package (F-450): under-bed frame crossmember, 5 pickup bed 5th-wheel/gooseneck		CH1
attachment points and close-out plugs, and an integrated 7-pin connector on the driver's side pickup bed wall	Std	Std
7-wire trailer tow wiring harness with relays and 7-/4-pin connector	Std	Std
650-CCA, 72-amp-hr single battery (6.2L gas)	Std	-
750-CCA, 78-amp-hr dual batteries (diesel)	Std	Std
750-CCA, 78-amp-hr single battery (6.2L gas)	-	Std
Axle – Narrow-track front (F-250/F-350)	Std	Std
Axle – Wide-track front (F-450)	Std	Std
Electronic shift-on-the-fly (ESOF) transfer case with manual locking hubs (4x4)	Std	Std
Heavy-duty gas shock absorbers	Std Std	Std _
Hydraulic power-assisted steering Electronically controlled hydraulic steering	- Stu	Std
		Std
Intelligent Oil-Life Monitor® (diesel engine) Jack (2-ton mechanical with SRW; 4-ton hydraulic with DRW)	Std Std	Std
Leaf-spring rear suspension	Std	Std
Oil-life minder (gas engine)	Std	Std
Power 4-wheel disc brakes with Anti-lock Brake System (ABS)	Std	Std
Rear stabilizer bar (DRW)	Std	Std
Spare wheel, tire, lock and frame-mounted carrier (optional with pickup box delete)	Std	Std
Stationary Elevated Idle Control (SEIC)¹	Std	Std
Tires – LT245/75Rx17E BSW all-season (F-250/F-350)	Std	Std
Tires – LT225/70Rx19.5G BSW traction (F-450)	Std	Std
Tires – LT275/65Rx18E BSW all-season (SRW) ³	-	Std
Trailer brake controller with Smart Trailer Tow Connector (DRW in XL)	Std	Std
Twin-coil monobeam front suspension with stabilizer bar (4x4 and F-450 4x2)	Std	Std
Twin I-beam coil spring front suspension with stabilizer bar (F-250/F-350 4x2)	Std	Std
EXTERIOR		
Black grille, front tow hooks (2), and door and tailgate handles	Std	-
Plack painted steel humpers	C. I	-
Black-painted steel bumpers	Std	
Black-painted steel bumpers Chrome grille and bumpers	- -	Std
	- -	Std Std
Chrome grille and bumpers	Sta - - Std	
Chrome grille and bumpers Cab steps – Black platform running boards (DRW)	- -	Std
Chrome grille and bumpers Cab steps – Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp	_ _ Std	Std Std
Chrome grille and bumpers Cab steps — Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp Configurable daytime running lamps LED roof marker/clearance lamps (DRW) Manually telescoping trailer tow mirrors with 2-way fold, manual glass and black mirror caps	– – Std Std	Std Std Std
Chrome grille and bumpers Cab steps – Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp Configurable daytime running lamps LED roof marker/clearance lamps (DRW)	– Std Std Std	Std Std Std
Chrome grille and bumpers Cab steps – Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp Configurable daytime running lamps LED roof marker/clearance lamps (DRW) Manually telescoping trailer tow mirrors with 2-way fold, manual glass and black mirror caps Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated	– Std Std Std	Std Std Std Std
Chrome grille and bumpers Cab steps – Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp Configurable daytime running lamps LED roof marker/clearance lamps (DRW) Manually telescoping trailer tow mirrors with 2-way fold, manual glass and black mirror caps Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators	- Std Std Std Std	Std Std Std Std -
Chrome grille and bumpers Cab steps – Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp Configurable daytime running lamps LED roof marker/clearance lamps (DRW) Manually telescoping trailer tow mirrors with 2-way fold, manual glass and black mirror caps Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators Pickup box rail and tailgate moldings	- Std Std Std Std - Std	Std Std Std Std Std - Std Std
Chrome grille and bumpers Cab steps – Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp Configurable daytime running lamps LED roof marker/clearance lamps (DRW) Manually telescoping trailer tow mirrors with 2-way fold, manual glass and black mirror caps Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators Pickup box rail and tailgate moldings Pickup box tie-down hooks (4)	- Std Std Std Std Std Std Std	Std Std Std Std Std - Std Std Std
Chrome grille and bumpers Cab steps – Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp Configurable daytime running lamps LED roof marker/clearance lamps (DRW) Manually telescoping trailer tow mirrors with 2-way fold, manual glass and black mirror caps Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators Pickup box rail and tailgate moldings Pickup box tie-down hooks (4) Quad-beam halogen headlamps	- Std	Std Std Std Std Std - Std Std Std Std Std
Chrome grille and bumpers Cab steps – Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp Configurable daytime running lamps LED roof marker/clearance lamps (DRW) Manually telescoping trailer tow mirrors with 2-way fold, manual glass and black mirror caps Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators Pickup box rail and tailgate moldings Pickup box tie-down hooks (4) Quad-beam halogen headlamps Removable tailgate with key lock	- Std	Std Std Std Std Std Std - Std Std Std Std Std Std
Chrome grille and bumpers Cab steps – Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp Configurable daytime running lamps LED roof marker/clearance lamps (DRW) Manually telescoping trailer tow mirrors with 2-way fold, manual glass and black mirror caps Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators Pickup box rail and tailgate moldings Pickup box tie-down hooks (4) Quad-beam halogen headlamps Removable tailgate with key lock Underhood service lamp ⁷	- Std	Std Std Std Std Std - Std Std Std Std Std Std Std Std Std
Chrome grille and bumpers Cab steps – Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp Configurable daytime running lamps LED roof marker/clearance lamps (DRW) Manually telescoping trailer tow mirrors with 2-way fold, manual glass and black mirror caps Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators Pickup box rail and tailgate moldings Pickup box tie-down hooks (4) Quad-beam halogen headlamps Removable tailgate with key lock Underhood service lamp? Variable-intermittent windshield wipers with washers	- Std	Std Std Std Std Std - Std
Chrome grille and bumpers Cab steps – Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp Configurable daytime running lamps LED roof marker/clearance lamps (DRW) Manually telescoping trailer tow mirrors with 2-way fold, manual glass and black mirror caps Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators Pickup box rail and tailgate moldings Pickup box tie-down hooks (4) Quad-beam halogen headlamps Removable tailgate with key lock Underhood service lamp² Variable-intermittent windshield wipers with washers Solar tinted glass	Std	Std Std Std Std Std Std - Std
Chrome grille and bumpers Cab steps – Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp Configurable daytime running lamps LED roof marker/clearance lamps (DRW) Manually telescoping trailer tow mirrors with 2-way fold, manual glass and black mirror caps Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators Pickup box rail and tailgate moldings Pickup box rail and tailgate moldings Pickup box tie-down hooks (4) Quad-beam halogen headlamps Removable tailgate with key lock Underhood service lamp? Variable-intermittent windshield wipers with washers Solar tinted glass Front splash guards (F-450 only)	Std	Std Std Std Std Std - Std
Chrome grille and bumpers Cab steps – Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp Configurable daytime running lamps LED roof marker/clearance lamps (DRW) Manually telescoping trailer tow mirrors with 2-way fold, manual glass and black mirror caps Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators Pickup box rail and tailgate moldings Pickup box tie-down hooks (4) Quad-beam halogen headlamps Removable tailgate with key lock Underhood service lamp ⁷ Variable-intermittent windshield wipers with washers Solar tinted glass Front splash guards (F-450 only) 3-blink lane change signal	Std	Std Std Std Std Std Std - Std
Chrome grille and bumpers Cab steps – Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp Configurable daytime running lamps LED roof marker/clearance lamps (DRW) Manually telescoping trailer tow mirrors with 2-way fold, manual glass and black mirror caps Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators Pickup box rail and tailgate moldings Pickup box tie-down hooks (4) Quad-beam halogen headlamps Removable tailgate with key lock Underhood service lamp ⁷ Variable-intermittent windshield wipers with washers Solar tinted glass Front splash guards (F-450 only) 3-blink lane change signal Advanced Security Pack with inclination/intrusion sensors	Std	Std Std Std Std Std Std - Std
Chrome grille and bumpers Cab steps – Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp Configurable daytime running lamps LED roof marker/clearance lamps (DRW) Manually telescoping trailer tow mirrors with 2-way fold, manual glass and black mirror caps Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators Pickup box rail and tailgate moldings Pickup box rail and tailgate moldings Pickup box tie-down hooks (4) Quad-beam halogen headlamps Removable tailgate with key lock Underhood service lamp? Variable-intermittent windshield wipers with washers Solar tinted glass Front splash guards (F-450 only) 3-blink lane change signal Advanced Security Pack with inclination/intrusion sensors Remote Keyless Entry System	Std	Std Std Std Std Std Std - Std
Chrome grille and bumpers Cab steps – Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp Configurable daytime running lamps LED roof marker/clearance lamps (DRW) Manually telescoping trailer tow mirrors with 2-way fold, manual glass and black mirror caps Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators Pickup box rail and tailgate moldings Pickup box rail and tailgate moldings Pickup box tie-down hooks (4) Quad-beam halogen headlamps Removable tailgate with key lock Underhood service lamp ⁷ Variable-intermittent windshield wipers with washers Solar tinted glass Front splash guards (F-450 only) 3-blink lane change signal Advanced Security Pack with inclination/intrusion sensors Remote Keyless Entry System INTERIOR	Std	Std Std Std Std Std - Std
Cab steps – Black platform running boards (DRW) Center high-mounted stop lamp (CHMSL) with cargo lamp Configurable daytime running lamps LED roof marker/clearance lamps (DRW) Manually telescoping trailer tow mirrors with 2-way fold, manual glass and black mirror caps Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators Pickup box rail and tailgate moldings Pickup box tie-down hooks (4) Quad-beam halogen headlamps Removable tailgate with key lock Underhood service lamp? Variable-intermittent windshield wipers with washers Solar tinted glass Front splash guards (F-450 only) 3-blink lane change signal Advanced Security Pack with inclination/intrusion sensors Remote Keyless Entry System INTERIOR 4.2" LCD productivity screen in instrument cluster	Std	Std Std Std Std Std - Std

		6.1	Front-seat side airbags ⁴	Std	Std	
rable daytime running lamps	Std	Std	Individual Tire Pressure Monitoring System (F-250/F-350, excludes spare)	Std	Std	
f marker/clearance lamps (DRW)	Std	Std	MyKey [®] technology to help encourage responsible driving	Std	Std	
ly telescoping trailer tow mirrors with 2-way fold, manual glass and black mirror caps	Std	-	Safety Canopy® System with side-curtain airbags® and rollover sensor	Std	Std	
ly telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated ce lamps and turn signal indicators	- -	Std	SecuriLock® Passive Anti-theft System	Std	Std	
box rail and tailgate moldings	Std	Std	SOS Post-crash Alert System™	Std	Std	
box tie-down hooks (4)	Std	Std	Engine only traction control (DRW only)	Std	Std	
eam halogen headlamps	Std	Std	FORD CO-PILOT360™ TECHNOLOGY			
able tailgate with key lock	Std	Std	Autolamp automatic on/off headlamps with rainlamp	Std	Std	
ood service lamp ⁷	Std	Std	Auto high-beam headlamps	-	Std	
e-intermittent windshield wipers with washers	Std	Std	Hill Start Assist	Std	Std	
nted glass	Std	Std	Rear-view camera	Std	Std	
olash guards (F-450 only)	Std	Std	Trailer Sway Control	Std	Std	
lane change signal	Std	Std	BLIS® (Blind Spot Information System) with trailer coverage and cross-traffic alert	-	Std	
ed Security Pack with inclination/intrusion sensors	-	Std	Pre-collision assist with Automatic Emergency Braking (AEB)	-	Std	
Keyless Entry System	-	Std	CONNECTIVITY & ENTERTAINMENT			
RIOR			AM/FM stereo with MP3 capability ²	Std	Std	
D productivity screen in instrument cluster	Std	Std	AM/FM/DAB ²	Std	Std	
ontrol	-	Std	SYNC® voice recognition communications and entertainment system with 4.2" LCD screen, AppLink®, and 1 smart-charging USB port	Std	-	
verpoints, 2 in instrument panel	Std	Std	SYNC®3 with 8" LCD capacitive touchscreen in center stack, AppLink®, Apple CarPlay®5 compatibility, Android Auto™6		C1.1	
OOW AC power outlet on instrument panel	-	Std	compatibility, and 2 smart-charging USB ports	_	Std	
ge manufacturer must supply control switches. ² Availability may vary depending on the market and versions. ³ Restrictions m ns. ⁵ Apple CarPlay® and its functions are products of Apple and its terms and privacy statements apply. Requires compatible iPh			⁶ Android Auto [™] and its functions are products of Google and its terms and privacy statements apply. Requires compatible Android smartphone with Arcountries are available. ⁷ Not available for 22MY.	droid Auto™ app on Google Play and data	a plan. All features supported in Middle East	
					17	

STANDARD FEATURES: INTERIOR (cont.)

Accessory delay for power features

Driver and front-passenger grab handles, and rear-passenger on Crew Cab

Dome light and dual map lights

Flooring – Black, full-length vinyl Flooring – Carpet with carpeted floor mats

Power door and tailgate locks

Outside temperature display

Cabin air particulate filter

Scuff plates

SEATING

Single-zone manual climate control

Manual-tilt/-telescoping steering column

Power windows with front one-touch-up/-down feature

60/40 split flip-up rear seat (SuperCab/Crew Cab)

 $Advance Trac^{\otimes} \ with \ RSC^{\otimes} \ (Roll \ Stability \ Control^{TM})$

Driver and right-front-passenger front airbags⁴

Front height-adjustable shoulder safety belts

Front-passenger airbag deactivation switch

Rear under-seat fold-flat storage; lockable and partitionable (Crew Cab)

Child-safety-seat top tether anchors (Regular Cab front passenger, and all rear-seat positions)

Heavy-duty vinyl-trimmed seating

Rear under-seat storage (SuperCab)

Belt-Minder® front safety belt reminder

SAFETY & SECURITY

Cloth-trimmed seating

Overhead console with dual storage bins (SuperCab/Crew Cab)

 $Sun\ visors-color\ co-ordinated\ vinyl,\ driver's\ side\ with\ pocket\ and\ passenger's\ side\ with\ uncovered\ mirror$

 $40/20/40\ split\ front\ seat\ with\ 2-way\ manual\ seat\ adjust,\ driver's\ side\ manual\ lumbar,\ and\ folding\ armrest\ with\ cupholders$

 $40/20/40\ split\ front\ seat, center\ under-seat\ lockable\ storage\ with\ 12V\ powerpoint, and\ folding\ armrest\ with\ cupholders\ and\ storage$

Dual glove boxes

Fixed rear window

Rear privacy glass² Tinted glass²

XLT

Std

Std

Std

Std Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

Std

¹Final-stage mainstructions. ⁵A

	XL	XLT
AVAILABLE FEATURES AND PACKAGES:		
MECHANICAL		
750-CCA, 78-amp-hr dual batteries (gas)	Opt	Opt
Engine block heater	Opt	Opt
Engine idle shutdown (5-, 10-, 15- or 20-minute)	Opt	Opt
Operator-commanded exhaust filter regeneration (diesel engine)	Opt	Opt
Power takeoff (PTO) provision with live-drive mobile and stationary modes ¹ (requires 10-speed transmission; PTO port located on driver's side; split-shaft capability included with diesel engine only)	Opt	Opt
Tires – LT245/75Rx17E BSW all-terrain (F-250/F-350 XL; F-350 XLT)	Opt	Opt
Tires – LT245/75Rx17E OWL all-terrain (F-350 DRW)	-	Opt
Tires – LT265/70Rx17E OWL all-terrain (F-250, F-350 DRW, F-450)	Opt	-
Tires – LT275/65Rx18E BSW all-season' (SRW)	Opt	Std
Tires – LT275/70Rx18E BSW all-terrain¹ (SRW 4x4 XL; F-250, F-350 SRW XLT)	Opt	Opt
Tires – LT275/70Rx18E OWL all-terrain¹ (SRW 4x4 XL; F-350 XLT)	Opt	Opt
Trailer brake controller with Smart Trailer Tow Connector (SRW in XL)	Opt	Std
Trailer tow – 5th-wheel hitch ^{1,2} (8 618kg rating on SRW, 14 472kg rating on DRW)	Opt	Opt
Trailer tow – Gooseneck dual hitch kit ¹ includes one 2 5/16" gooseneck ball, one 3" gooseneck ball, and 2 safety chain tie-down bars (F-450)	Opt	Opt
Trailer tow – Gooseneck hitch kit ^{1,2} (F-250/F-350)	Opt	Opt
Upfitter interface module (Fleet only)	Opt	Opt
INTERIOR		
110V/400W AC power outlet in instrument panel ⁵	Opt	Std
Flooring – Carpet with carpeted floor	Opt	Std
Flooring – Black vinyl/carpet delete	-	Opt
Flooring – Floor liners ²	-	Opt
Power-sliding rear window with defroster (SuperCab/Crew Cab)	-	Opt
Rapid-heat supplemental cab heater (diesel engine)	-	Opt
Rear-window defroster	-	Opt
Upfitter switches, 6 located in overhead console ¹	-	Opt
Vehicle safe ^{1,3}	-	Opt
SEATING		
Cloth-trimmed seating	Opt	Opt
Front bucket seats with mini-console and driver's side manual lumbar	Opt	-
Front bucket seats and flow-through center console with storage, rear-facing 12V powerpoint and 110V/400W AC power outlet (SuperCab/Crew Cab)	-	Opt
FORD CO-PILOT360™ TECHNOLOGY		
Audible lane-departure warning ¹ (F-250/F-350; requires pickup box delete)	Opt	Opt
BLIS® (Blind Spot Information System) with trailer coverage and cross-traffic alert ¹	Opt	Std
Pre-collision assist with Automatic Emergency Braking (AEB)	Opt	Std
Ultimate Trailer Tow Camera System¹ (requires STX Package on XL): Pro Trailer Backup Assist™ with trailer reverse guidance, 360-degree camera with split-view display, and rear CHMSL camera with LED CHMSL	Opt	Opt
Voice-activated touchscreen navigation system with HD Radio™ technology	-	Opt

EXTERIOR



Antimatter Blue³ Available: XL, XLT



Oxford White Available: XL, XLT



Iconic Silver³ Available: XL, XLT



Stone Gray³ Available: XL, XLT



Carbonized Gray³ Available: XL, XLT



Lithium Gray^{3,5} Available: XLT



Agate Black³ Available: XL, XLT



Velocity Blue^{3,5} Available: XL, XLT



Atlas Blue⁶ Available: XL, XLT



Rapid Red Metallic Tinted Clearcoat⁴ Available: XLT



Race Red Available: XL, XLT

INTERIOR



Medium Earth Gray Vinyl Available: XL



Medium Earth Gray Cloth Available: XL, XLT



Medium Light Camel Cloth⁵ Available: XLT

WHEELS

SRW



17" Argent-painted Steel with Painted Center Cap¹ Standard XL, XLT



18" Sparkle Silver-painted Cast Aluminum¹ Available: XLT



DRW



17" Argent-painted Steel without Center Cap Standard: XL, XLT F-350



19.5" Polished Forged-aluminum with Bright Center Cap² Standard: XL, XLT F-450

18

Colors are representative only. See your distributor for actual paint/trim options.

¹Restrictions may apply. See your distributor for details. ²Inner rear wheels are steel. ³Metallic. ⁴Additional charge. ⁵Not available for 22MY. ⁶Only available for 22MY.

 $^{{}^{1}\!}Restrictions\,may\,apply.\,See\,your\,distributor\,for\,details.\,{}^{2}\!Requires\,5th-Wheel/Gooseneck\,Trailer\,Tow\,Prep\,Package.\,{}^{3}\!Ford\,Licensed\,Accessory.}$

PACKAGES

XL Value Package¹: chrome bumpers, bright Power Equipment Group: accessory delay center caps on wheels (SRW only), and cruise control.

STX Package¹: chrome grille and bumpers, 17" polished forged-aluminum wheels (F-350 DRW), STX fender vent badges, and cruise control; DRW with 6.7L diesel engine also includes a high-airflow grille. Available on XL F-350 DRW and F-450

XL Decor Group: bright chrome hub covers and center ornaments, chrome front and rear step bumper.

Available on XL (Fleet only)

for power features; trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators; perimeter alarm; Advanced Security Pack with inclination/intrusion sensors; power door and tailgate locks; power windows with front one-touch-up/-down feature; and Remote Keyless Entry System with 2 integrated keyhead transmitter remotes.

Rear-view Camera and Prep Kit: cab

wiring, frame wiring to the rearmost cross member, camera with mounting bracket, 14" jumper wire, camera mounting and aiming instructions.

Requires pickup box delete. Optional on XL and XLT

XLT Value Package¹: halogen fog lamps, SecuriCode keyless-entry keypad, power-adjustable pedals (SuperCab/Crew Cab), 8-way power driver's seat, and Reverse Sensing System.

CAPABILITY PACKAGES

HEAVY-SERVICE FRONT SUSPENSION PACKAGE FOR PICKUP BOX DELETE¹

(SRW with pickup box delete): front springs upgrade (unless maximum springs have been computer-selected as included equipment), rear auxiliary springs (F-250), and rear stabilizer bar. Available on ALL TRIMS

PICKUP BOX DELETE¹ (F-250/F-350 with 8' box only): deletes pickup box, tailgate, rear bumper, 7-/4-pin connector, CHMSL with cargo lamp, jack, spare wheel, tire, lock, carrier, and rear-view camera (rear-view camera and prep kit is available). Available on ALL TRIMS

SNOW PLOW/CAMPER PACKAGE¹ (4x4): computer-selected front springs for snow plow application, upgraded alternator, rear stabilizer bar (SRW), auxiliary rear springs (F-250), and slide-in camper certification. Available on ALL TRIMS

4491KG GVWR PACKAGE (F-250)

4 536KG GVWR PACKAGE¹ (F-350 SRW)

5 17 KG GVWR PACKAGE (F-350 SRW)

5897KG GVWR PACKAGE1 (F-350 DRW)

PREP PACKAGE¹ (F-250/F-350/standard F-450): 1 under-bed frame crossmember, 5 pickup bed 5th-wheel/gooseneck attachment points and closeout plugs, and an integrated 7-pin connector on the driver's side pickup bed wall (See distributor for 5th-wheel/gooseneck hitch compatibility). Available on ALL TRIMS

F-250 HIGH-CAPACITY TRAILER TOW PACKAGE WITH ULTIMATE TRAILER TOW CAMERA SYSTEM¹ (F-250 with diesel engine)²: 3.0" trailer hitch receiver, max. front springs, upgraded axle, 13 608kg GCWR, GVWR over 4 536kg (see Payload chart for ratings by configuration), 360-degree camera with split-view display, rear CHMSL camera with LED CHMSL, and Pro Trailer Backup Assist™ with trailer

FX4 OFF-ROAD PACKAGE¹ (4x4): Hill Descent Control™, off-road-tuned shocks, skid plates for transfer case and fuel tank, and FX4 Off-road box decals.

reverse guidance.

HEAVY-SERVICE FRONT SUSPENSION PACKAGE:1 front springs upgrade (unless maximum springs have been computer-selected as included equipment).

5TH-WHEEL/GOOSENECK TRAILER TOW CAMPER PACKAGE: front springs upgrade (unless maximum springs have been computer-selected as included equipment), rear stabilizer bar (SRW), auxiliary rear springs (F-250), and slide-in camper certification.

Available on ALL TRIMS

CNG/PROPANE GASEOUS ENGINE PREP **PACKAGE** (F-250/F-350 with 6.2L gas engine; late availability): hardened engine intake valves and valve seats, and bi-fuel manifold.

Available on ALL TRIMS

F-250 HIGH-CAPACITY TRAILER TOW PACKAGE¹ (F-250 with diesel engine)²: 3.0" trailer hitch receiver, max. front springs, upgraded axle, 13 607kg GCWR, and GVWR over 4 535kg (see Payload chart for ratings by configuration). Available on ALL TRIMS



FACTS & FIGURES

DIMENSIONS

Exterior	Regular Cab	Supe	erCab	Crew	v Cab
	8' Box 4x2 / 4x4	6.75' Box 4x2 / 4x4	8' Box 4x2 / 4x4	6.75' Box 4x2 / 4x4	8' Box 4x2 / 4x4
Wheelbase	3 597mm	3 759mm	4 171mm	4 059mm	4 470mm
Height (w/o options)					
F-250 SRW	2 004mm/2 065mm	2 014mm/2 068mm	2 004mm/2 068mm	2 014mm/2 070mm	2 007mm/2 065mm
F-350 SRW	1999mm/2 062mm	2 009mm/2 065mm	2 002mm/2 062mm	2 009mm/2 065mm	2 002mm/2 060mm
F-350 DRW	2 014mm/2 065mm	-	2 007mm/2 065mm	-	2 009mm/2 070mm
F-450 DRW	2 083mm/2 083mm	-	-	-	2 085mm/2 085mm
Width					
SRW (excl. mirrors)	2 032mm	2 032mm	2 032mm	2 032mm	2 032mm
DRW (excl. mirrors)	2 438mm	-	2 438mm	-	2 438mm
With mirrors	2 690mm	2 690mm	2 690mm	2 690mm	2 690mm
With mirrors extended	2 794mm	2 794mm	2 794mm	2 794mm	2 794mm
Length	5 888mm	6 050mm	6 487mm	6 350mm	6 761mm
Ground clearance					
F-250 SRW	221mm/216mm	221mm/216mm	221mm/216mm	221mm/216mm	221mm/216mm
F-350 SRW	221mm/216mm	221mm/216mm	221mm/216mm	224mm/216mm	221mm/216mm
F-350 DRW	213mm/211mm	-	213mm/211mm	-	213mm/211mm
F-450 DRW	218mm/218mm	-	-	-	218mm/218mm

Cargo Box	8'Box	6.75' Box
Volume (cu. m)	2.2	1.9
Inside height	536mm	536mm
Length at floor	2 492mm	2 080mm
Width at wheelhouse	1283mm	1283mm
Maximum width at floor	1 699mm	1699mm

Interior	Regular Cab	SuperCab	Crew Cab
Front			
Head room	1 036mm	1036mm	1 036mm
Leg room (max.)	1 115mm	1 115mm	1 115mm
Hip room	1588mm	1588mm	1588mm
Shoulder room	1694mm	1694mm	1694mm
Rear			
Head room	-	1 024mm	1026mm
Leg room	-	851mm	1107mm
Hip room	-	1 643mm	1643mm
Shoulder room	-	1 671mm	1 674mm
Total passenger volume (cu. m)	1.8	3.3	3.7
Cargo volume behind 1st row (cu. m)	0.3	0.9	1.5

ALTERNATOR				
	Engine	Standard	Available	
XL, XLT	6.2L Gas	157-amp	200-amp	
	-	-	240-amp	
	6.7L Diesel	175-amp	240-amp	
	-	-	332-amp	
	-	-	397-amp	

MECHANICAL					
Max. Axle Rating @ Ground (kg)					
		Front	Rear		
	4x2	2 381kg	2 812kg		
F-250 SRW		2 722kg ²	2 812kg ²		
	4x4	2 722kg	2 812kg		
	4x2	2 381kg	3 302kg		
F-350 SRW		2 722kg ²	3 302kg ²		
	4x4	2 722kg	3 302kg		
F-350 DRW	4x2	2 381kg	4 377kg		
L-220 DKM	4x4	2 722kg	4 377kg		
E 450 DDW	4x2	3 175kg	4 377kg		
F-450 DRW	4x4	3 175kg	4 377kg		

Brakes

Rotor diameter (front/rear) – 14.29"/14.29" (F-250/F-350); 15.39"/15.74" (F-450)

Wheels

Number of studs – 8 (F-250/F-350); 10 (F-450)

Bolt-circle diameter – 170mm SRW; 200mm F-350 DRW; 225mm F-450

FUEL CAPACITY				
	Gas Engine	Diesel Engine		
Regular Cab 8' box SuperCab 6.75' box	129 liter	110 liter		
SuperCrew 8' box Crew Cab 6.75' box	129 liter	129 liter		
Crew Cab 8' box	182 liter	182 liter		

MECHANICAL		
Engines	6.2L 2-Valve Gas V8 FFV	6.7L Power Stroke® V8 Turbo Diesel
Horsepower	385hp @ 5 750 rpm	475hp @ 2 600 rpm
Torque	583Nm @ 3 800 rpm	1424Nm@1600 rpm
Configuration	SOHC	OHV (32-valve)
Electronic fuel injection	Sequential multi-port	High-pressure common-rail
Induction system	Specially tuned	Single-sequential turbocharger; charged air cooler
Block material iron	Cast iron	Compacted graphite
Valve operation	Roller-rocker shafts	Push rod/rocker arms
Camshaft drive	Silent chain	Gear
Compression ratio	9.8:1	15.8:1
Recommended Ultra-low-sulfur fuel	Regular unleaded or E85; diesel bi-fuel-capable CNG or propane autogas (requires upfit)	Regular unleaded or B29 (containing 20% or less biodiesel)
Transmission	TorqShift-G 6-speed Select- Shift® automatic with Selectable Drive Modes (F-250)	TorqShift® 10-speed SelectShift automatic with Selectable Drive Modes
	TorqShift® 10-speed SelectShift automatic with tow/haul mode (F-350)	
Standard	F-250/F-350	F-450
Available		F-250/F-350

REAR AXLES					
Engines	Configuration	Standard	Available		
6.2L Gas	F-250/F-350 SRW	3.73 non-limited-slip	3.73 electronic-locking 4.30 electronic-locking		
	F-350 DRW	3.73 limited-slip	4.30 limited-slip		
6.7L Diesel	F-250/F-350 SRW	3.31 non-limited-slip	3.55 non-limited-slip ¹ 3.31 electronic-locking 3.55 electronic-locking ¹		
	F-350 DRW	3.55 non-limited-slip	3.55 limited-slip 4.10 limited-slip		
	F-450 DRW	4.30 limited-slip			

		Regular Cab	Supe	erCab	Crew Cab		
	GVWR	3 597mm	3 759mm	4 171mm	4 059mm	4 470mm	
F-250 SRW 4x2	4 491kg	1887kg	1760kg	1710kg	1 715kg	1610kg	
	4 536kg	1932kg	1805kg	1755kg	1760kg	1656kg	
	4 808kg ²	1787kg³	-	-	-	-	
	4 853kg ²	-	1710kg ³	-	-	-	
	4 899kg ²	-	-	1696kg ³	1701kg ³	1597kg ³	
F-250 SRW 4x4	4 491kg	1687kg	1565kg	1524kg	1529kg	1 411kg	
	4 536kg	1733kg	1 610kg	1569kg	1574kg	1 456kg	
	4 899kg ²	1 483kg ³	1569kg ³	1501kg ³	1506kg ³	1379kg ³	
F-350 SRW 4x2	4 536kg	1842kg	1728kg	1674kg	1656kg	1 551kg	
	4 581kg	1887kg	1774kg	-	-	-	
	4 627kg	-	-	-	1746kg	-	
	4 717kg	-	-	1855kg	-	-	
	4 763kg	2 041kg	-	-	-	-	
	4 808kg	1783kg	1 973kg	-	-	1823kg	
	4 853kg	-	1724kg	-	1946kg	-	
	4 899kg	-	-	-	1687kg	-	
	4 944kg	-	-	2 059kg	-	-	
	4 990kg	-	-	1724kg	-	-	
	5 035kg	1987kg	-	-	-	2 023kg	
	5 080kg	-	1928kg	-	-	-	
	5 126kg	-	-	-	1887kg	-	
	5 171kg	-	-	1987kg	-	1 851kg	
	5 216kg	-	-	2 005kg	-	1869kg	
F-350 SRW 4x4	4 536kg	1647kg	1529kg	1 479kg	1 461kg	1356kg	
	4 717kg	1828kg	-	-	-	-	
	4 763kg	-	1755kg	-	-	_	
	4 808kg	-	-	-	1 733kg	_	
	4 899kg	-	-	1842kg	-	-	
	4 944kg	2028kg	_	-	-	1764kg	
	4 990kg	1774kg	1960kg	_	-	-	
	5 035kg	-	-	-	1 932kg	_	
	5 080kg	-	_	_	1 678kg	-	
	5 126kg	-	2 091kg	2 041kg	2 023kg	1 919kg	
	5 171kg	2 250kg	1.851kg	2 114kg	1769kg	1 991kg	
	5 216kg	1973kg	1869kg	2 132kg	1787kg	2 005kg	
	5 352kg	-	-	2 223kg	-	-	
	5 398kg	-	-	-	-	2 145kg	
	5 443kg	-	-	-	-	1 901kg	
	5 625kg	-			-	2 077kg	
F-350 DRW 4x2	5 897kg	3 021kg		2 808kg	_	2 703kg	
JJJ DIKIT IKE	6 350kg	3 561kg ⁴		3 261kg	_	3 157kg	
F-350 DRW 4x4	5 897kg	2 817kg		2 617kg	_	2508kg	
330 51(11 4/4	6 350kg	3 270kg		3 071kg	_	2 962kg	
F-450 DRW 4x2	6 350kg	2 821kg	<u> </u>	- 5 07 lkg		2 554kg	

Restrictions may apply. See your distributor for details. With 3.31 axle delete. Requires F-250 High-Capacity Trailer Tow Package. Requires F-350 Gas Heavy-Duty Payload Package.

FACTS & FIGURES

TOWING												
					REGULAR CAB		SUPERCAB			CREW CAB		
	Engine	Axle Ratio	GCWR	Conventional Weight Carrying	Conventional Weight Distribution	5th-Wheel/ Gooseneck	Conventional Weight Carrying	Conventional Weight Distribution	5th-Wheel/ Gooseneck	Conventional Weight Carrying	Conventional Weight Distribution	5th-Wheel/Gooseneck
F-250 SRW 4x2	6.2L Gas	3.73	8 845kg	5 897kg	6 033kg	6 033kg	5 897kg	5 897kg	5 897kg	5 851kg	5 851kg	5 851kg
		4.30	9 979kg	5 897kg	6 350kg	7 167kg	6 350kg	6 804kg	6 895kg	6 804kg	6 804kg	6 985kg
	6.7L Diesel	3.31	10 659kg	6 350kg	6 350kg	7 439kg	6 804kg	6 804kg	7 348kg	6 804kg	6 804kg	7303kg
			13 608kg ¹	6 350kg ¹	6 804kg	10 342kg ^{1,2}	6 895kg ¹	6 895kg ¹	9 979kg ^{1,2}	8 255kg ¹	8 255kg ¹	9 843kg ^{1,2}
		3.55	13 608kg ¹	6 350kg ¹	6 895kg ¹	10 342kg ^{1,2}	6 895kg ¹	6 895kg ¹	9 979kg ^{1,2}	8 255kg ¹	8 255kg ¹	9 843kg ^{1,2}
F-250 SRW 4x4	6.2L Gas	3.73	8 845kg	5 851kg	6 895kg ¹	5 806kg	5 715kg	5 715kg	5 715kg	5 670kg	5 670kg	5 670kg
		4.30	9 979kg	6 350kg	5 851kg	6 940kg	6 804kg	6 804kg	6 849kg	6 804kg	6 804kg	6 804kg
	6.7L Diesel	3.31	10 659kg	6 350kg	6 804kg	7 257kg	6 804kg	6 804kg	7 031kg	6 804kg	6 804kg	6 668kg
			13 608kg ¹	6 350kg ¹	6 804kg	9 888kg ^{1,2}	9 072kg ¹	9 072kg ¹	9 117kg ^{1,2}	9 072kg ¹	9 072kg ¹	8 664kg ^{1,2}
		3.55	13 608kg ¹	6 350kg ¹	6 804kg ¹	9 888kg ^{1,2}	9 072kg ¹	9 072kg ¹	9 117kg ^{1,2}	9 072kg ¹	9 072kg ¹	8 664kg ^{1,2}
F-350 SRW 4x2	6.2L Gas	3.73	8 845kg	5 897kg	6 804kg ¹	5 942kg	5 806kg	5 806kg	5 806kg	5 761kg	5 761kg	5 715kg
		4.30	10 433kg	5 897kg	5 987kg	7530kg	6 804kg	6 804kg	7394kg	6 804kg	6 804kg	7 303kg
	6.7L Diesel	3.31/3.55	13 608kg	6 350kg	6 350kg	10 342kg ²	6 804kg	6 804kg	10 251kg ²	8 255kg	8 255kg	10 160kg²
F-350 SRW 4x4	6.2L Gas	3.73	8 845kg	5 761kg	6 804kg	5 715kg	5 625kg	5 625kg	5 625kg	5 579kg	5 579kg	5 534kg
		4.30	10 433kg	6 350kg	5 761kg	7303kg	6 804kg	6 804kg	7 212kg	6 804kg	6 804kg	7121kg
	6.7L Diesel	3.31/3.55	13 608kg	6 350kg	6 804kg	10 160kg ²	9 072kg	9 072kg	10 070kg ²	9 072kg	9 072kg	9 979kg²
F-350 DRW 4x2	6.2L Gas	3.73	9 072kg	5 987kg	5 987kg	5 987kg	5 761kg	5 761kg	5 761kg	5 670kg	5 670kg	5 670kg
		4.30	10 659kg	7 575kg	7 575kg	7 575kg	7 348kg	7 348kg	7348kg	7 257kg	7 257kg	7 257kg
	6.7L Diesel	3.55	18 144kg	8 165kg	9 525kg	14 696kg	8 165kg	9 616kg	14 515kg	8 618kg	9 616kg	14 424kg
		4.10	19 686kg	8 165kg	9 525kg	16 216kg³	8 165kg	9 616kg	16 057kg³	8 618kg	9 616kg	15 966kg³
F-350 DRW 4x4	6.2L Gas	3.73	9 072kg	5 806kg	5 806kg	5 761kg	5 579kg	5 579kg	5 579kg	5 488kg	5 488kg	5 443kg
		4.30	10 659kg	7394kg	7 394kg	7348kg	7167kg	7167kg	7 167kg	7 076kg	7 076kg	7 031kg
	6.7L Diesel	3.55	18144kg	8 165kg	9 072kg	14 515kg	8 618kg	9 616kg	14 334kg	9 616kg	9 616kg	14 197kg
		4.10	19 686kg	8 165kg	9 072kg	16 057kg³	8 618kg	9 616kg	15 876kg³	9 616kg	9 616kg	15 749kg³
F-450 DRW 4x2	6.7L Diesel	4.30	19 731kg							10 977kg	10 977kg	15 694kg³
			20 548kg	9 616kg ⁴	9 616kg ⁴	16 783kg³						
F-450 DRW 4x4	6.7L Diesel	4.30	19 731kg							10 977kg	10 977kg	14 787kg³
			20 548kg	9 616kg ⁴	9 616kg ⁴	16 511kg ³						

SRW = single rear wheel DRW = dual rear wheel WB = wheelbase 'Requires F-250 High-Capacity Trailer Tow Package. 'Gooseneck tow rating shown. 5th-wheel tow rating limited to 5th-wheel hitch rating of 8 618kg. 'Gooseneck tow rating shown. 5th-wheel tow rating limited to 5th-wheel hitch rating of 14 472kg. '25% Weight Distribution setup required.

Payload Notes: Maximum payload capabilities are for properly equipped base vehicles with required equipment and a 68kg driver and vary based on cargo, vehicle configuration, accessories and number of passengers. See label on

Towing Notes: Maximum payload capabilities are for properly equipped base venicles with required equipment and a look griver and vary based on cargo, venicle configuration, accessories and number of passengers. See label on door jamb for carrying capacity of a specific vehicle. For additional information, see your Ford Distributor.

Towing Notes: Trailer tongue (trailer king pin for 5th-wheel towing) load weight should be 10% (15% for 5th-wheel towing) of total loaded trailer weight. Make sure vehicle payload (reduced by option weight) will accommodate trailer tongue (trailer king pin for 5th-wheel towing) load weight and weight of passengers and cargo must not cause vehicle weights to exceed rear GAWR or GVWR. These ratings can be found on the vehicle Safety Compliance Certification Label.



Vehicles may be shown with optional equipment. Features may be offered only in combination with other options or subject to additional ordering requirements/limitations. Dimensions shown may vary due to optional features and/or production variability. Information is provided on an "as is" basis and could include technical, typographical or other errors. Ford makes no warranties, representations, or guarantees of any kind, express or implied, including but not limited to, accuracy, currency, or completeness, the operation of the information, materials, content, availability, and products. Ford reserves the right to change product specifications, pricing and equipment at any time without incurring obligations. Your Ford Distributor is the best source of the most up-to-date information on Ford vehicles.

Ford Genuine Parts & Service. Keep your vehicle in optimum operating condition with scheduled maintenance service. Ford and Lincoln Distributor technicians know your vehicle inside and out. They are continuously trained by Ford Motor Company and the parts they use are specifically designed for your vehicle. See your Distributor for limited warranty information on Ford Original Accessories. Ford Licensed Accessories (FLA) are warranted by the accessory manufacturer's warranty. FLA are designed and developed by the accessory manufacturer and have not been designed or tested to Ford Motor Company engineering requirements. Contact your Ford Distributor for details and/or a copy of all limited warranties.



Quality

We design and build your Ford to feel as good after many years of service as it did the day you picked it up. And to drive just as beautifully too.



Green

Using advanced Ford technology, we're committed to creating vehicles with improved fuel economy, reduced CO₂ emissions and a lower overall cost of ownership.



Safe

Ford's Intelligent Protection System uses sophisticated technology designed to help prevent an accident and, if one should happen, to protect



Smart

Vehicles with smart intuitive technologies designed to connect your world, and many clever solutions from Ford that make life a little easier.

Ford reserves the right, subject to all applicable laws, to discontinue or change features and other specifications either temporarily or permanently, which will be communicated to the Ford Distributor Network. Published by Ford Motor Company. Printed in United Arab Emirates @2021 Ford Motor Company.







3TB708476/21MY