

Movement that inspires



MY25 - Mechanical & Feature List

Drivetrain	2WD Standard Range	2WD Long Range	AWD Lo	ng Range
Electric Motor Location	Fro	ont	Front	+ Rear
Driven Wheels	Front Wh	eel Drive	All Whe	eel Drive
Motor Type Front	Permanent Magnet	Synchronous Motor	Permanent Magnet	Synchronous Motor
Motor Type Rear		-	Permanent Magnet	Synchronous Motor
Maximum Power - Front Motor / Rear Motor	160 k	(W / -	160 kW	/ 70 kW
Maximum Torque - Front Motor / Rear Motor	310 N	lm / -	310 Nm	/ 170 Nm
Combined System Output (Power / Torque)	160 kW /	′ 310 Nm	230 kW / 480 Nm	
Acceleration 0-100kph	Approx. 8.5 seconds	Approx. 8.9 seconds	Approx. 6.1 seconds	Approx. 6.3 second
Maximum Speed		185	cm/h	
Transmission Type	1	Speed Automatic Trans	mission (Reduction Gea	r)
Final Gear Ratio (Constant)	9,4	•		/ 11.62 (Rear)
Model Variants	Air 2WD SR	Air 2WD LR	Earth AWD LR	GT-Line AWD LR
Battery	2WD Standard Range	2WD Long Range		ng Range
Battery Type	2005 Staticara Range	Lithium Iron Pl		ng Runge
	64.2 kWh	Ellillalli lloli i i	88.1 kWh	
Energy	396.8 V		399.4 V	
Voltage				
Capacity	162 Ah	570.1	220.6 Ah	4.1
Battery Weight	428 kg	573 kg		4 kg
Battery Position		Under		
12V Battery Capacity		45	Ah	
AC Normal Charging ¹	2WD Standard Range	2WD Long Range	AWD Lo	ng Range
Charge Port Location		Driver Si		
Charge Port Type - AC		Type 2 (IE	C 62196-2)	
On Board Charger (OBC) Maximum Capacity	6.6kW (Single Phase)		11kW (3 Phase)	
AC Charge 10-100% - with 7kW Charger	Approx. 9h 43m		-	
AC Charge 10-100% - with 11kW Charger	-		Approx. 8h 10m	
DC Fast Charging ¹	2WD Standard Range	2WD Long Range	AWD Lo	ng Range
Charge Port Location		Driver Si	de Front	
Charge Port Type - DC		CCS Type 2 (IEC 6219	6-3 Configuration FF)	
DC Fast Charge 10-80% (50kW Charger)	Approx. 57m	Approx. 72m		
DC Fast Charge 10-80% (350kW Charger)	Approx. 36m		Approx. 38m	
Supported Charging Infrastructure	7,661,0011	400 &		
WLTP Range ²	Air 2WD SR	Air 2WD LR	Earth AWD LR	GT-Line AWD LR
-	182	180	201	210
Energy Consumption (Wh/km) - Combined				
All Electric Range (AER) - Combined (km)	400	555	500	470
Dimensions	Air 2WD SR	Air 2WD LR	Earth AWD LR	GT-Line AWD LR
Overall Length (mm)		4,6	515	
Overall Width (mm)	1,875			
Overall Height (mm)	1,715			
Wheelbase (mm)		2,750		
Minimum Ground Clearance (mm)	175	161	166	166
Cargo Area Rear (Rear Seats Up) (L, VDA)		5′	13	
Cargo Area Rear (Rear Seats Down) (L, VDA)		1,7	14	
Cargo Area Front (Frunk)		67L /		
Weight	Air 2WD SR	Air 2WD LR	Earth AWD LR	GT-Line AWD LR
Tare Weight (kg)	1,910	2,054	2,198	2,229
	2,340	2,490	2,630	2,650
Gross Vehicle Mass (kg)				
Towing Capacity ³	Air 2WD SR	Air 2WD LR	Earth AWD LR	
Towing Capacity Unbraked (Kg)		750		
	300		750	GT-Line AWD LF
Towing Capacity Braked (Kg)	300		750 1,250	GT-Line AWD LF
Towing Capacity Braked (Kg) Max. Towball Download (Kg)	300 50		750 1,250 100	
Towing Capacity Braked (Kg)	300	Air 2WD LR	750 1,250	
Towing Capacity Braked (Kg) Max. Towball Download (Kg)	300 50	Air 2WD LR	750 1,250 100	
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features	300 50 Air 2WD SR		750 1,250 100 Earth AWD LR	GT-Line AWD LR
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator	300 50 Air 2WD SR	•	750 1,250 100 Earth AWD LR	GT-Line AWD LR
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket)	300 50 Air 2WD SR	•	750 1,250 100 Earth AWD LR	GT-Line AWD LF
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3)	300 50 Air 2WD SR • •	•	750 1,250 100 Earth AWD LR •	GT-Line AWD LF
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) i-Pedal - One Pedal Driving Function	300 50 Air 2WD SR • •	•	750 1,250 100 Earth AWD LR • •	GT-Line AWD LF
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) i-Pedal - One Pedal Driving Function Charge Management (Scheduled Charging)	300 50 Air 2WD SR • • •	•	750 1,250 100 Earth AWD LR • • •	GT-Line AWD LR
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) i-Pedal - One Pedal Driving Function Charge Management (Scheduled Charging) Utility Mode Function	300 50 Air 2WD SR • •	•	750 1,250 100 Earth AWD LR • •	GT-Line AWD LR
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) i-Pedal - One Pedal Driving Function Charge Management (Scheduled Charging) Utility Mode Function ASD (Active Sound Design)	300 50 Air 2WD SR • • • • • •	•	750 1,250 100 Earth AWD LR	GT-Line AWD LR
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) i-Pedal - One Pedal Driving Function Charge Management (Scheduled Charging) Utility Mode Function ASD (Active Sound Design) Steering, Brakes & Suspension	300 50 Air 2WD SR • • •	• • • • • • • • Air 2WD LR	750 1,250 100 Earth AWD LR	GT-Line AWD LR
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) i-Pedal - One Pedal Driving Function Charge Management (Scheduled Charging) Utility Mode Function ASD (Active Sound Design) Steering, Brakes & Suspension Power Steering System	300 50 Air 2WD SR • • • • • •	• • • • • • • Air 2WD LR Column MDPS ⁴ (Elec	750 1,250 100 Earth AWD LR	GT-Line AWD LR
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) i-Pedal - One Pedal Driving Function Charge Management (Scheduled Charging) Utility Mode Function ASD (Active Sound Design) Steering, Brakes & Suspension	300 50 Air 2WD SR • • • • • •	• • • • • • • • Air 2WD LR	750 1,250 100 Earth AWD LR	GT-Line AWD LR
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) i-Pedal - One Pedal Driving Function Charge Management (Scheduled Charging) Utility Mode Function ASD (Active Sound Design) Steering, Brakes & Suspension Power Steering System	300 50 Air 2WD SR • • • • • •	• • • • • • • Air 2WD LR Column MDPS ⁴ (Elec	750 1,250 100 Earth AWD LR	GT-Line AWD LF
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) i-Pedal - One Pedal Driving Function Charge Management (Scheduled Charging) Utility Mode Function ASD (Active Sound Design) Steering, Brakes & Suspension Power Steering System Steering Wheel Turn Lock to Lock	300 50 Air 2WD SR • • • • • •	• • • • • • • Air 2WD LR Column MDPS ⁴ (Elec	750 1,250 100 Earth AWD LR	GT-Line AWD LF
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) i-Pedal - One Pedal Driving Function Charge Management (Scheduled Charging) Utility Mode Function ASD (Active Sound Design) Steering, Brakes & Suspension Power Steering System Steering Wheel Turn Lock to Lock DMS ⁵ System Brake Mode Settings	300 50 Air 2WD SR • • • • • •	• • • • • • • Air 2WD LR Column MDPS ⁴ (Elec	750 1,250 100 Earth AWD LR	GT-Line AWD LF
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) i-Pedal - One Pedal Driving Function Charge Management (Scheduled Charging) Utility Mode Function ASD (Active Sound Design) Steering, Brakes & Suspension Power Steering System Steering Wheel Turn Lock to Lock DMS ⁵ System Brake Mode Settings Tilt & Telescopic Adjustable Steering Column	300 50 Air 2WD SR • • • • • •	• • • • • • • • Air 2WD LR Column MDPS ⁴ (Elec	750 1,250 100 Earth AWD LR	GT-Line AWD LF
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) i-Pedal - One Pedal Driving Function Charge Management (Scheduled Charging) Utility Mode Function ASD (Active Sound Design) Steering, Brakes & Suspension Power Steering System Steering Wheel Turn Lock to Lock DMS ⁵ System Brake Mode Settings Tilt & Telescopic Adjustable Steering Column Minimum Turning Circle Diameter (m)	300 50 Air 2WD SR • • • • • •	• • • • • • • • Air 2WD LR Column MDPS ⁴ (Electory 2 4 modes - Eco, No Normal Mar	750 1,250 100 Earth AWD LR	GT-Line AWD LF
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) i-Pedal - One Pedal Driving Function Charge Management (Scheduled Charging) Utility Mode Function ASD (Active Sound Design) Steering, Brakes & Suspension Power Steering System Steering Wheel Turn Lock to Lock DMS ⁵ System Brake Mode Settings Tilt & Telescopic Adjustable Steering Column Minimum Turning Circle Diameter (m) Front Suspension Type	300 50 Air 2WD SR • • • • • •	• • • • • • • • • • • Air 2WD LR Column MDPS ⁴ (Electory Column MDPS - Eco, Not Normal Mare Mare Mare More) McPherson Strut with 5	750 1,250 100 Earth AWD LR	GT-Line AWD LF
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) i-Pedal - One Pedal Driving Function Charge Management (Scheduled Charging) Utility Mode Function ASD (Active Sound Design) Steering, Brakes & Suspension Power Steering System Steering Wheel Turn Lock to Lock DMS ⁵ System Brake Mode Settings Tilt & Telescopic Adjustable Steering Column Minimum Turning Circle Diameter (m) Front Suspension Type Rear Suspension Type	300 50 Air 2WD SR • • • • • •	• • • • • • • • • • • Air 2WD LR Column MDPS ⁴ (Electory Column MDPS - Eco, Not Normal Mar 11 McPherson Strut with 9 Multi-lint	750 1,250 100 Earth AWD LR	GT-Line AWD LF
Towing Capacity Braked (Kg) Max. Towball Download (Kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) i-Pedal - One Pedal Driving Function Charge Management (Scheduled Charging) Utility Mode Function ASD (Active Sound Design) Steering, Brakes & Suspension Power Steering System Steering Wheel Turn Lock to Lock DMS ⁵ System Brake Mode Settings Tilt & Telescopic Adjustable Steering Column Minimum Turning Circle Diameter (m) Front Suspension Type	300 50 Air 2WD SR • • • • • •	• • • • • • • • • • • Air 2WD LR Column MDPS ⁴ (Electory Column MDPS - Eco, Not Normal Mare Mare Mare More) McPherson Strut with 5	750 1,250 100 Earth AWD LR	•

Wheel & Tyres	Air 2WD SR	Air 2WD LR	Earth AWD LR	GT-Line AWD LR
Wheel Size / Design		Alloy	19" Alloy	20" Alloy
Tyres	Kumho/Nexon		Kumho/Nexon	Kumho/Nexon
Rim Size	225/60 R18" 6.5J X 18		235/55 R19" 7.5J X 19	255/45 R20" 8.0J X 20
TPMS (Tyre Pressure Monitoring System)	0.53	X 10	7.55 × 19	6.03 X 20
Spare Wheel Type	TMK (Tyre Mobility Kit)			
Safety ⁶		(.,,	,	
Active Safety				
ABS (Anti-Lock Braking System) with EBD ⁷ & BA ⁸	•	•	•	•
ESC (Electronic Stability Control) with TCS ⁹	•	•	•	•
HAC (Hill-start Assist Control)	•	•	•	•
DBC (Downhill Brake Control)	•	•	•	•
MCB (Multi-Collision Braking)	•	•	•	•
AEB (Autonomous Emergency Braking) - Car, Pedestrian, Cyclist, Junction Turning/Crossing, Direct/Oncoming Lane Change detection	•	•	•	•
LKA (Lane Keeping Assist)	•	•	•	•
LFA2 (Lane Following Assist 2)	•	•	•	•
Highway Drive Assist 2 (HDA2) with Lane Change Assist (LCA)	•	•	•	•
BCW (Blind Spot Collision Warning) with RCCW (Rear Cross Traffic Collision Warning)	•		•	
BCA (Blind Spot Collision Avoidance Assist) with RCCA				
(Rear Cross Traffic Collision Avoidance)	•	•	•	•
SEW (Safe Exit Warning)	•	•	•	•
PCA (Parking Collision Avoidance Assist - Reverse, Side, Forward)	-	-	-	•
DAWS (Driver Attention Warning System) with Lead Vehicle Departure Alert and Forward Attention Monitoring	•	•	•	•
ISLA (Intelligent Speed Limit Assist)	•	•	•	•
Haptic Steering Wheel Feedback	•	•	•	•
Parking Sensors with Dash Display (Front & Rear)	•	•	•	•
Rear View Camera with Dynamic Parking Guidelines	•	•	•	•
SVM (Surround View Monitor) with 3D Mode	-	-	-	•
BVM (Blind Spot View Monitor)	-	-	-	•
Electrochromic Rear View Mirror (Auto Dimming)	•	•	•	•
ROA (Rear Occupant Alert) - Door History Type	•	•	•	•
HBA (High Beam Assist)	•	•	•	•
Dusk-Sensing Automatic Head Lights	•	•	•	•
Front Wiper & Washer (Low/High and 5-Speed Intermittent)	•	•	•	•
Auto Rain Sensing Wipers	•	•	•	•
Door Open Warning on Driver Display	•	•	•	•
Seatbelt Warning Chime & Indicator Light (All Positions)	•	•	•	•
Speed Sensing Auto Door Locks	•	•	•	•
Child Restraint Anchorage Points (3 x Top Tether Anchors + 2 x ISOFIX positions)	•	•	•	•
Manual Child-Proof Rear Door Locks	•		-	-
Powered Child-Proof Rear Door Locks	-	-	•	•
Hidden Rear Wiper & Washer (2-Speed)	•	•	•	•
Passive Safety				
Driver & Front Passenger SRS Airbags	•	•	•	•
Centre Side Airbag (Front)	•	•	•	•
Front Side SRS Airbags	•	•	•	•
Curtain SRS Airbags	•	•	•	•
3-Point ELR Seatbelts (All Positions)	•	•	•	•
Seatbelt Pre-Tensioners with Load Limiters			٠	•
Security Burglar Alarm				
Anti-theft Immobiliser	•	•	•	•
Remote Central Locking with Boot and Bonnet Release	•	•	•	•
Smart Key Remote (x2) With Remote Engine Start	•	•	•	•
RSPA2 ¹⁰ (Remote Smart Park Assist 2)		-	-	•
Headlight Escort Function	•	•	•	•
Seating				
Seat Capacity			5	T
Seat Trim	Cloth & Artificial Leather		Artificial Leather	Artificial Leather with Two-Tone GT-Line Styling
8-Way Power Drivers Seat with 4-Way Power Lumbar	•	•	•	-
4-Way Manual Adjust Passenger Seat	•	•	•	-
4-Way Power Passenger Seat with 4-Way Power Lumbar	-	-	-	•
Premium Relaxation Seat with 2-Way Power Leg Rests (Driver)	-	-	-	•
Integrated Memory System Driver's Seat with 2 Seating Position Memory	-	-	-	•
3-Cell Massage Function (Driver)	•	•	•	-
6-Cell Massage Function (Driver)	-	-	-	•
3-Cell Massage Function (Front Passenger)	-	-	-	•
Reclining 2nd Row Seats Spilt Fold Rear Seats (60:40)	•	•	•	•
Spin Fold Real Seals (00.40)		-	•	•
2nd Row Centre Armrest	•			
2nd Row Centre Armrest Height Adjustable Headrests (All Seats) & Tilt Function (Front Seats)	•	•	•	•

Exterior Features	Air 2WD SR	Air 2WD LR	Earth AWD LR	GT-Line AWD LR
Front & Rear Bumper & Skid Plates	Standard Design (Matte Plastic Surrounds)		Standard Design (Gloss Black Surrounds)	GT-Line Design (Gloss Black Surrounds)
Side Door Garnish		Metal Paint Finish		Body Colour
Side Sill Moulding with Wheel Arch Extension	Matte Plastic		Gloss	Black
Window Surround		Satin Silver Beltline	I.	Gloss Black Beltline
Roof Racks	Matte	Plastic	Gloss	Black
				(Gloss Black on
Rear Spoiler (Body Colour) Outside Door Mirrors (Body Colour)	•	•	•	Two-Tone Only)
Outside Door Mirrors (Gloss Black)	•	•	•	
· · ·	-	-	-	
Outside Door Mirrors with Integrated Side Indicators	•	•	•	•
Electric Outside Door Mirrors (Adjust/Heated/Folding)	•	•	•	•
Manual-Flush Door Handles (Body Coloured)	•	•	•	-
Auto-Flush Door Handles (Body Coloured)	-	-	-	•
LED Daytime Running Lights	•	•	•	•
LED Head Lights (MFR Type)	•	•	•	•
LED Tail Lights	•	•	•	•
LED Dynamic Turn Indicators	-	-	-	•
Roof integrated Rear Spoiler with LED High-Mounted Rear Stop Light	•	•	•	•
Height Adjustable Smart Power Tailgate	-	-	•	•
Panoramic Sunroof	-	-	-	•
Shark Fin Antenna	•	•	•	•
Windscreen with Acoustic Film	•	•		•
Solar Glass (Windscreen & Front Door Glass)				
Solar Glass (Rear Windows & Tailgate)	•		_	_
-	_	_		
Privacy Glass (Rear Windows & Tailgate)			•	•
Laminated Glass (Front Driver)	-	-	-	•
Interor Features			l	
4 Spoke Premium Steering Wheel	•	•	•	-
3 Spoke Premium Sports Steering Wheel	-	-	-	•
Heated Steering Wheel Function	-	-	-	•
Driver Monitoring In-Cabin Camera	•	•	•	•
Shift by Wire (Column Type)	•	•	•	•
Steering Wheel Paddles (Brake Regen Control)	•	•	•	•
SCC (Smart Cruise Control) with Stop and Go	•	•	•	•
Fingerprint Authentication Module	-	-	-	•
Multi-function Trip Computer (Distance Travelled, Energy Consumption, Range, etc)	•	•	•	•
Digital Clock (within Audio Display)	•	•	•	•
Ambient Temperature Display (within Cluster)	•	•	•	•
Door Lock Controls (Front)	•	•	•	•
Power Windows (Front & Rear)	•	•	•	•
Auto Up/Down Windows with Safety Function (Front only)	•	•		_
Auto Up/Down Windows with Safety Function (Front & Rear)	-	-	-	•
Driver's Foot Rest	•	•	•	•
	_	_	<u> </u>	•
Alloy Sports Pedals Deshboard Garnish	-		motric Embass	•
Dashboard Garnish	Textured & Geometric Emboss Propose Finish White & Cilyan Fin			
Interior Trim (Door, Dashboard & Centre Console Trim)	Bronze Finish White & Silver Fin			
Dashboard Integrated Infotainment Controls (Touch-Type)			cklit	T
Soft-Touch Door Armrests	•	•	•	•
Driver & Passenger Sun Visors with Sliding Function	•	•	•	•
Illuminated Vanity Mirrors	•	•	•	•
1st Row USB Chargers (2 x Lower Front Console, Type C)	•	•	•	•
2nd Row USB Chargers (2 x Behind Front Seats, Type C)	•	•	•	•
1 x 12 Volt Power Outlets (Lower Front Console)	•	•	•	•
LED Interior Lighting with LED Cargo Lamp	•	•	•	•
Interior Light Delay Out		•	•	•
Rear Window Defroster with Timer	•	•	•	•
Rear Seat Back Table (Behind Front Passenger Seat)	-	-	-	•
Ambient Mood Lighting (64 Colours)	-	-	-	•
Wireless Phone Charger (QI) ¹¹	_	_	_	•
THICIESS I HOHE CHarger (QI)	-	_	_	_ •

Storage	Air 2WD SR	Air 2WD LR	Earth AWD LR	GT-Line AWD LR
4 x Cup Holders (2 x Front Console, 2 x Rear Centre Armrest)	•	•	•	•
4 x Bottle Holders (Front & Rear Doors)	•	•	•	•
Glovebox	•	•	•	•
Shopping Hook (Below Dashboard)	•	•	•	•
Front Storage Tray	•	•	•	
Sliding Storage Tray (2nd Row)	•	•	•	•
Sliding Storage Tray (Heated & Cooling Function, 2nd Row)	-	-	-	•
1 x Coat Hook (2nd Row)	•	•	•	•
2 x Coat Hangers (Front Headrests)	•	•	•	•
Adjustable Cargo Hooks (x4)	•	•	•	•
Pop-Up Luggage Board	-	-	-	•
Infotainment & Driver Display				
AM/FM Radio				
DAB Digital Radio	•	•	•	•
6 Speaker Sound System (4 Speakers, 2 Tweeters)	•	•	•	-
8 Speaker Harman/Kardon®12 Premium Sound System				
(5 Speakers, 2 Tweeters, Subwoofer)	-	-	-	•
Integrated Panoramic Display (12.3" Digital Driver Cluster + 5" Climate Monitor + 12.3" Touch Screen Infotainment)	•	•	•	•
Kia Connect ¹³ Telematics (eCall, Remote Control, Vehicle Status Monitoring etc.)	•	•	•	•
OTA (Over the Air) Updates	•	•	•	•
Satellite Navigation Multimedia System with 10 Years Traffic Information and Map Updates	•	•	•	•
Augmented Reality Head Up Display (AR-HUD)	-	-	-	•
Sounds of Nature	•		•	•
Quite Mode			•	•
Personalised Profile (Radio Favourites, Bluetooth Priority etc)	•	•	•	•
Bluetooth® Multi-Connection Functionality (Phone/Media Stream) ¹⁴	•	•	•	•
Steering Wheel Mounted Audio/Bluetooth® Controls	•		•	•
Wired & Wireless Android Auto™ with voice recognition15			•	•
Wired & Wireless Apple CarPlay™ with voice recognition¹6	•	•	•	•
Ventilation				
Dual-zone Climate Control Air-Conditioning (Front)	•	•	•	•
Auto Windscreen Defog	•	•	•	
2nd Row Air Vents (Door Pillar)	•	•	•	
Heated Front Seats	•	•	•	•
Heated 2nd Row Outer Seats	-	-	-	•
Ventilated Front Seats	-	-	-	
Exterior Colours				
Clear White (UD)	•	•	•	•
Snow White Pearl (SWP)#	•		•	-
Frost Blue (EBB)#	•	•	•	-
Iceberg Green (IEG)#	•	•	•	-
Magma Red (OVR)#	•	•	•	•
Tide Blue (OVA)#	•	•	•	•
Shale Grey (EBD)#	•	•	•	-
Starry Night Black (NNB)#	•	•	•	•
Snow White Pearl with Starry Night Black Roof (CAX)^	-	-	-	•
Iceberg Green with Starry Night Black Roof (CBM)^	-	-	-	•
Frost Blue with Starry Night Black Roof (CAY)^	-	-	-	•
Shale Grey with Starry Night Black Roof (CAZ) [^]	-	-	-	•
Interior Colours				
Smoky Black (OVS) with Grey Fabric Headliner				-
Nougat Beige (OVB) with Grey Fabric Headliner	-	-		-
Smoky Black (OVS) with Two-Tone GT-Line Styling with Black Headliner	-	-	-	

Standard - Not available

Specifications apply to 2026 Model Year EV5. Kia Australia reserves the right to discontinue or change the models, features, specifications, options, designs and prices of products referred to in this sheet without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items herein are optional at additional cost. Consult your Kia dealer for the latest information on models, specifications, features, prices, options and availability. Note: EV5 GT-Line Variant will undergo all necessary inspections when available. Until inspections are complete, all information and illustrations are based on data available at the time of publication and subject to change without notice. 'Charging times are based on Kia HQ testing and actual charge times will be dependent on charging conditions, including home charging type and condition, battery temperature as well as ambient temperature. Before using this product at home, consult with a licensed electrician to ensure your home electrical system can support the use. 'Figures based on WLTP (Worldwide Harmonised Light-Duty Vehicles Test Procedure) static laboratory combined average city and highway cycle test, which measure, energy consumption, range and emissions in passenger vehicles, designed to provide figures closer to real-world driving behaviour. Real life driving results will vary depending on a combination of driving style, type of journey, vehicle configuration, battery age and condition, use of vehicle features (such as heating and air conditioning), as well as operating, environmental and climate conditions.

*Subject to State regulations and towbar design. *MDPS - Motor Driven Power Steering. *DMS - Drive Mode Select. *Safety technologies are supplemental systems and do not replace the need for the driver to exercise care and attention. *TEBD - Electronic Brake Distribution. *BA - Brake Assist. *PTCS - Traction Control System. **OThe Road Traffic Code 2000 in WA prohibits people from driving a vehicle unless a pe

monitoring, real-time traffic updates and more. Not all phones will be compatible with the Kia Connect app. For more details on Kia Connect visit kia.com/au/kiaconnect. ¹⁴Not all mobile phones will be compatible with the vehicle's Bluetooth® system. Bluetooth® is a registered trademark of Bluetooth SiG. ¹⁵Android Auto¹™ connectivity requires compatible Android device. See android.com/intl/en_au/ for more details. Android Auto¹™ is a registered trademark of Google Inc. ¹⁶Apple CarPlay¹™ connectivity requires compatible iOS device. See apple.com.au for more details. Apple CarPlay¹™ is a registered trademark of Apple Inc. ⁴Premium paint (Metallic/Pearl) at additional cost. ˆPremium paint (Two-Tone) at additional cost. ˆNougat Beige (OVB) interior option only available with Tide Blue (OVA), Starry Night Black (NNB) & Shale Gray (EBD) exterior colours for Earth AWD LR variant. For full terms and conditions on Kia's 7 Year warranty, visit kia.com/au